

# **Safety Data Sheet**

Issue Date: 20-Jan-2009 Revision Date: 14-Oct-2014 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name CLD Dishwash

Other means of identification

SDS # CARROLL-169

Product Code 974 UN/ID No UN3262

Recommended use of the chemical and restrictions on use

Recommended Use Alkaline cleaner.

Details of the supplier of the safety data sheet

**Supplier Address** 

Carroll Co. 2900 W. Kingsley Road Garland, TX 75041

**Emergency Telephone Number** 

Company Phone Number 1-800-527-5722

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance White powder Physical State Solid Odor Bland

### Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

# Signal Word

Danger

### **Hazard Statements**

Harmful if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction



#### **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Call a poison center or doctor/physician

Rinse mouth

Do not induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Trade Secret	Proprietary	30-35
Trade Secret	Proprietary	20-25
Trade Secret	Proprietary	15-20
Trade Secret	Proprietary	10-15
Sodium hydroxide	1310-73-2	10-15
Sodium Dichlorisocyanurate	51580-86-0	<5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash

occurs: Get medical advice/attention.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Give large volumes of water. Get

medical attention.

#### Most important symptoms and effects

Symptoms Contact with the skin can cause severe burns. Tissue damage may occur before the

individual is aware of contact. May cause an allergic skin reaction. Caustic soda beads that get into the eye can cause severe destruction and blindness. Ingestion will cause severe damage to the mouth, throat, esophagus, and stomach. Inhalation of dust may be irritating

to the respiratory tract.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Product is not flammable.

Hazardous Combustion Products Hydrogen gas.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Sweep up with a minimum of dusting. Flush spill area with water. Neutralize with dilute acid

(such as acetic acid). Dispose of in accordance with federal, state and local regulations.

### 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Do not destroy or deface the label. Do not mix with other chemicals.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked **Storage Conditions** 

up.

**Incompatible Materials** Strong acids. Attacks aluminum, magnesium, and galvanized metals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret	15 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	-
Trade Secret	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Trade Secret	-	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Goggles.

**Skin and Body Protection** Rubber gloves. Suitable protective clothing.

**Respiratory Protection** Use in well-ventilated area.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Physical State** Solid

**Appearance** Odor White powder Slight chlorine Color White **Odor Threshold** Not determined

**Values** Remarks • Method **Property** 

12.2 at 1% solution рΗ **Melting Point/Freezing Point** Not applicable **Boiling Point/Boiling Range** Not determined Flash Point None (will not burn) **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not applicable **Vapor Density** Not determined **Specific Gravity** Not applicable Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined

Decomposition TemperatureNot determinedKinematic ViscosityNot determinedDynamic ViscosityNot determinedExplosive PropertiesNot determinedOxidizing PropertiesNot determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children.

### **Incompatible Materials**

Strong acids. Attacks aluminum, magnesium, and galvanized metals.

### **Hazardous Decomposition Products**

Hydrogen gas.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns. May cause an allergic skin reaction.

**Inhalation** Harmful if inhaled.

**Ingestion** May be harmful if swallowed.

# **Component Information**

Oral LD50	Dermal LD50	Inhalation LC50
= 4090 mg/kg (Rat)	-	-
= 3100 mg/kg ( Rat )	> 7940 mg/kg (Rabbit)	-
= 600 mg/kg ( Rat )	-	-
> 10000 mg/kg ( Rat )	-	-
-	= 1350 mg/kg ( Rabbit )	-
= 5700 mg/kg (Rat)	-	-
> 2000 mg/kg ( Rat )	-	-
-	> 4640 mg/kg ( Rabbit )	-
	= 4090 mg/kg (Rat) = 3100 mg/kg (Rat) = 600 mg/kg (Rat) > 10000 mg/kg (Rat)  - = 5700 mg/kg (Rat) > 2000 mg/kg (Rat)	= 4090 mg/kg (Rat) - = 3100 mg/kg (Rat) > 7940 mg/kg (Rabbit) = 600 mg/kg (Rat) - > 10000 mg/kg (Rat) - = 1350 mg/kg (Rabbit) = 5700 mg/kg (Rat) - > 2000 mg/kg (Rat) -

# Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

# **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trade Secret	242: 120 h Nitzschia mg/L	300: 96 h Lepomis		265: 48 h Daphnia magna
	EC50	macrochirus mg/L LC50		mg/L EC50
		static 310 - 1220: 96 h		
		Pimephales promelas mg/L		
		LC50 static		
Trade Secret		1650: 48 h Leuciscus idus		
		mg/L LC50		
Trade Secret		210: 96 h Brachydanio rerio		216: 96 h Daphnia magna
		mg/L LC50 semi-static 210:		mg/L EC50
		96 h Brachydanio rerio mg/L		
		LC50		
Trade Secret		13500 - 14500: 96 h		630: 96 h Daphnia magna
		Pimephales promelas mg/L		mg/L EC50 2564: 48 h
		LC50 6800: 96 h Pimephales		Daphnia magna mg/L EC50
		promelas mg/L LC50 static		
		3040 - 4380: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 13500: 96 h Lepomis		
		macrochirus mg/L LC50		
Sodium hydroxide		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		

### Persistence/Degradability

Not determined.

### **Bioaccumulation**

Not determined.

### **Mobility**

Not determined

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

### **Waste Treatment Methods**

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Trade Secret	Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** 

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

**IATA** 

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

**IMDG** 

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group || |

Marine Pollutant This material may meet the definition of a marine pollutant

# 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### **US Federal Regulations**

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Χ

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trade Secret		Х	Х
Trade Secret		X	Х
Sodium hydroxide 1310-73-2	Х	Х	Х
Sodium Dichlorisocyanurate 51580-86-0		X	X
Trade Secret	X	X	X
Trade Secret		X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	1	B = Goggles, gloves

Issue Date:20-Jan-2009Revision Date:14-Oct-2014Revision Note:New format

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**