

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 14-Aug-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH FRAGRANCE 6081 Disinfectant For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Numbe Medical Emergency/Information Transportation/Spill/Leak:	
	2. HAZARDS IDENTIFICATION
GHS Classification Flammable Aerosols Gases Under Pressure	Category 1 Liquefied gas
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger
Hazard Statements:	Extremely flammable aerosol. Contains gas under pressure; may explode if heated
Precautionary Statements: Prevention:	Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Response: -Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place
Disposal:	Not Applicable

Hazards Not Otherwise Classified: Not Applicable

6081 - STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH FRAGRANCE

Precautions for Firefighters:

Other Information:	 May be harmful if swallowed.
	May cause eye irritation.
	May cause skin irritation.
	 Inhalation of vapors or mist may cause respiratory irritation.
	Keep out of reach of children.

0.00384% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
ethanol	64-17-5	40-70
water	7732-18-5	10-30
propane	74-98-6	7-13
N-butane	106-97-8	5-10
o-benzyl-p-chlorophenol	120-32-1	<0.1
o-phenylphenol	90-43-7	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES -Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. -Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation: poison control center or physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion: person. Get medical attention if you feel unwell. Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. 5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media: Water spray (fog), Foam Specific Hazards Arising from the Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Chemical: Bursting aerosol containers may be propelled from fire at high speed. Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. Water may be used to cool closed containers to prevent pressure build-up and possible **Protective Equipment and**

6. ACCIDENTAL RELEASE MEASURES

auto ignition or explosion when exposed to extreme heat.

Personal Precautions: Environmental Precautions: Methods for Clean-Up:	Use personal protective equipment as required. Remove all sources of ignition. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
	and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

6081 - STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH FRAGRANCE

Storage Conditions:

NFPA 30B Level 2 Aerosol. Do not store in direct sunlight or above $122 \text{ F}^{\circ} / 50 \text{ C}^{\circ}$. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-
propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
N-butane	TWA: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
	Provide good general ventilat If work practices generate due	st, fumes, gas, vapors or mists w	hich expose workers to
	If work practices generate du	st, fumes, gas, vapors or mists w ional exposure limits, local exhau	
ersonal Protective Equipment	If work practices generate du chemicals above the occupat	st, fumes, gas, vapors or mists w ional exposure limits, local exhau	
	If work practices generate du chemicals above the occupat	st, fumes, gas, vapors or mists w ional exposure limits, local exhau	
ye/Face Protection:	If work practices generate due chemicals above the occupat engineering controls should b	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered.	
ye/Face Protection: kin and Body Protection:	If work practices generate due chemicals above the occupat engineering controls should b Wear splash goggles.	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered. al-resistant gloves.	
ye/Face Protection: kin and Body Protection:	If work practices generate due chemicals above the occupat engineering controls should b Wear splash goggles. Wear rubber or other chemica Not required with expected us	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered. al-resistant gloves. se.	st ventilation or other
ye/Face Protection: kin and Body Protection:	If work practices generate due chemicals above the occupate engineering controls should be Wear splash goggles. Wear rubber or other chemicate Not required with expected us If occupational exposure limit	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered. al-resistant gloves. se. s are exceeded or respiratory irrit	ist ventilation or other
Personal Protective Equipment Eye/Face Protection: Ikin and Body Protection: Respiratory Protection:	If work practices generate due chemicals above the occupate engineering controls should be Wear splash goggles. Wear rubber or other chemicate Not required with expected us If occupational exposure limite NIOSH/MSHA approved resp	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered. al-resistant gloves. se.	ist ventilation or other
ye/Face Protection: kin and Body Protection:	If work practices generate due chemicals above the occupate engineering controls should be Wear splash goggles. Wear rubber or other chemicate Not required with expected us If occupational exposure limite NIOSH/MSHA approved resp 3 should be considered.	st, fumes, gas, vapors or mists w ional exposure limits, local exhau e considered. al-resistant gloves. se. s are exceeded or respiratory irrit	ist ventilation or other

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol
Color:	Light yellow
Odor:	Citrus fragrance
pH:	8.0-9.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	74 °C / 165 °F (Product without propellant)
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)
Evaporation Rate:	1.5 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.84 (Product without propellant)
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eve Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
-Ingestion:	Pain, nausea, vomiting and diarrhea. May cause central nervous system depression. May cause drowsiness or dizziness.
Immediate, Delayed, Chronic Effec	ts
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	Blood. Central nervous systemEyes. Liver. Reproductive System. Respiratory SystemSkin.
Numerical Measures of Toxicity The following acute toxicity estimates	(ATE) are calculated based on the GHS document.
ATEmix (oral):	9273 mg/kg

1576708 mg/l

195.1 mg/l

Component Acute	Toxicity Information	

ATEmix (inhalation-gas):

ATEmix (inhalation-dust/mist):

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat)4 h
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat)4 h
N-butane 106-97-8	Not Available	Not Available	= 658 mg/L (Rat)4 h
o-phenylphenol 90-43-7	= 1049 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat)1 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
o-phenylphenol 90-43-7	0.85: 72 h Desmodesmus subspicatus mg/L EC50	3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2.75: 96 h Oncorhynchus mykiss mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static	Not Available	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability: Bioaccumulation:	No information available. No information available.
Other Adverse Effects:	No information available.
	13. DISPOSAL CONSIDERATIONS
Disposal of Wastes: Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations. Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:	
UN/ID No:	UN1950
Proper Shipping Name:	Aerosols
Hazard Class:	2.1
Special Provisions:	This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity. Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG:	
UN/ID No:	UN1950
Proper Shipping Name:	Aerosols
Hazard Class:	2.1
Additional information:	Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	Yes
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-22

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

Warning. Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA	Health Hazards: 1	Flammability: 4	Instability: 0	Special: N/A
HMIS	Health Hazards: 1	Flammability: 3	Physical Hazards: 2	
Revision Date: Reasons for Revision:	14-Aug-2015 Section 11			

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet